



भारतीय मानक ब्यूरो
Bureau of Indian Standards
The National Standards Body of India

**For any other
communication**

Address: Mumbai Branch Office-I-5th
Floor, MTNL CETTM
Technology Street,, Hiranandani
Garden, Powai , Mumbai,
Mumbai, MUMBAI
CITY,MAHARASHTRA,400076

Phone: 02228329295

Fax: 02228364820

E-Mail: mub01@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 7396389

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
7396389	KULDEEP ENGINEERING WORKS -A-18,& 136, GHATKOPAR INDUSTRIAL ESTATE,LBS MARG , , GHATKOPAR WEST : 400086	VALVE FITTINGS FOR COMPRESSED GAS CYLINDERS EXCLUDING LIQUEFIED PETROLEUM GAS LPG CYLINDERS SPECIFICATION Fourth Revision of IS 3224	IS 3224 : 2002

Endorsement No. 24 Dated 15-Nov-2024

Whereas, the licence was valid upto Twenty November Two Thousand Twenty Four.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 19-NOV-2024 has been extended from Twenty November Two Thousand Twenty Four to Nineteenth November Two Thousand Twenty Five

Other terms and conditions of licence remain same.

Branch Head (Mumbai Branch Office-I)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg, ,DELHI,110002

18-11-24, 09:32 am